

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|--|------------------|---------|------------------|
| S2 | 13039 | (branch\$3 with (table list\$3)) and (program executable module code byte\$1code) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:28 |
| S3 | 1373 | (branch\$3 with (table list\$3)) and (program executable module code byte\$1code) and loop and (jmp jump) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:29 |
| S4 | 485 | 713/188.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:30 |
| S5 | 2 | S3 and S4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:30 |
| S8 | 1833 | (branch\$3 with (table list\$3 map\$4)) same (execut\$4 program code module) same ((address\$3) with (table list\$3 map\$4)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:36 |
| S9 | 1 | S4 and S8 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:36 |
| S10 | 537 | (basic near2 block) with (map\$4 list\$3 table) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:38 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|-----|-----|------------------|
| S11 | 36897 | "713".clas. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:38 |
| S12 | 19 | S10 and S11 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:38 |
| S13 | 919 | (virus malware hostile malicious virii trojan worm) and S2 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:41 |
| S14 | 4 | S10 and S13 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:42 |
| S15 | 102 | instructions check security "code cache" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | AND | OFF | 2008/05/07 14:45 |
| S16 | 10 | "5974549".pn. "20030140245" "7013456".pn. "6275938".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 14:51 |
| S18 | 1065 | (virus malware hostile malicious virii trojan worm) and (code instruction) and cache and ((tree branch\$3 table list\$3) with (block)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:03 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| S19 | 1 | (virus malware hostile malicious virii trojan worm) same (code instruction) same cache same ((tree branch\$3 table list\$3) with (block)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:03 |
| S20 | 0 | (virus malware hostile malicious virii trojan worm) same (code instruction) same sandbox same ((tree branch\$3 table list\$3) with (block)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:04 |
| S21 | 84 | (security adj policy) and (program adj control) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:12 |
| S25 | 5238 | (emulat\$3 virtual\$7 sandbox\$4) same (code program module) same (branch\$3 map\$4 list\$3) same (address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:30 |
| S26 | 1542 | (emulat\$3 virtual\$7 sandbox\$4) with (code program module) with (branch\$3 map\$4 list\$3) same (address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:32 |
| S27 | 1196 | (emulat\$3 virtual\$7 sandbox\$4) with (code program module) with (branch\$3 map\$4 list\$3) with (address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 15:33 |
| S30 | 1824 | (conditional adj branch\$3) and (database table map) with (block fragment sequence) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:15 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|-----|------------------|
| S31 | 686 | (conditional adj branch\$3) and (database table map) with (block fragment sequence) with (code instruction) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:15 |
| S32 | 21 | S11 and S31 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:15 |
| S33 | 554 | (basic near block\$3) with (database table map\$4 list\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:24 |
| S34 | 367 | (basic near block\$3) near5 (database table map\$4 list\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:25 |
| S36 | 25 | ((trac\$3) with (code instruction)) same (database list\$3 map\$4 cache) same (malicious danger\$3 en\$1danger\$3 malware virus virii hostile worm trojan) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:47 |
| S38 | 1220 | (trac\$3) with (code instruction) with (call jump jmp) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:52 |
| S39 | 530 | (trac\$3) with (code instruction) with (jump jmp) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:52 |

EAST Search History

| | | | | | | |
|-----|-----|---|--|----|-----|------------------|
| S40 | 13 | S11 and S39 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:52 |
| S41 | 105 | (trac\$3) with (code instruction) with (address destination) with (jump jmp) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/07 16:53 |
| S46 | 719 | ((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 07:12 |
| S47 | 79 | ((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4 with (display\$3 show\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 07:15 |
| S48 | 11 | ((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4 with call\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 07:15 |
| S49 | 15 | ((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4 with (jump jmp call) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 07:15 |
| S50 | 638 | ((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4) and (map\$4 tree database manifest\$3 branch\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 07:15 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| S53 | 45 | ((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4) with (map\$4 tree database manifest\$3 cach\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 08:51 |
| S56 | 93 | ((code instruction) near5 (fragment branch\$3 block)) with depend?nc\$4) and ((external\$2) with (function call calling interrupt)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 09:06 |
| S57 | 216 | trac\$3 with (danger\$3 malicious hostile overflow) with (code instruction) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 09:28 |
| S58 | 228 | trac\$3 with (danger\$3 malicious hostile overflow vulnerab\$7) with (code instruction) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 09:56 |
| S59 | 267 | (trac\$4 hunt\$3) with (danger\$3 malicious hostile overflow vulnerab\$7) with (code instruction) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 09:56 |
| S60 | 51 | S59 not S57 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 09:56 |
| S65 | 4347 | (trac\$4 hunt\$3) with (code instruction) with (compar\$3 near5 address\$3 locat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 11:40 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|----|-----|------------------|
| S66 | 34015 | ((trac\$4 hunt\$3) with (code instruction) and (compar\$3 near5 address\$3 locat\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 11:40 |
| S67 | 116 | ((trac\$4 hunt\$3) with (code instruction) with (compar\$3 near5 address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 11:41 |
| S68 | 0 | ((trac\$4 hunt\$3) with (code instruction) with (compar\$3 near5 address\$3)) same (malware malicious hostile virus virii worm trojan) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 11:42 |
| S69 | 2 | ((trac\$4 hunt\$3) with (code instruction) with (compar\$3 near5 address\$3)) and (malware malicious hostile virus virii worm trojan) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 11:42 |
| S70 | 169 | ((trac\$4 hunt\$3) with (code instruction) with ((compar\$3 near5 address\$3) near5 (address\$3 locat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 12:42 |
| S71 | 53 | S70 not S67 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 12:43 |
| S72 | 510 | ((trac\$4 hunt\$3) with (code instruction) same ((compar\$3) with (address\$3 locat\$3)) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 12:46 |

EAST Search History

| | | | | | | |
|-----|-------|--|--|----|-----|------------------|
| S73 | 267 | (trac\$4 with (code instruction)) same (compar\$3 near5 address\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 12:47 |
| S74 | 149 | S73 not (S67 S70 S71) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/08 12:48 |
| S88 | 8 | trac\$4 with (locat\$3 graph\$3 map\$4) with (instruction code) with (hostile virus virii trojan danger\$3 malicious) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 09:13 |
| S89 | 637 | (locat\$3 graph\$3 map\$4 address\$3 table tree) with (instruction code) with (hostile virus virii trojan danger\$3 malicious) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 09:14 |
| S90 | 485 | 713/188.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 09:15 |
| S91 | 78036 | ((graph\$3 map\$4 table tree) with (instruction code)) and address\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 09:16 |
| S92 | 26704 | ((graph\$3 map\$4 table tree) with (instruction code)) same address\$3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 09:16 |

EAST Search History

| | | | | | | |
|----------|-----|--|--|----|-----|------------------|
| S93 | 28 | S90 and S92 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 09:16 |
| S94 | 2 | malware with analy\$4 with (debug\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 09:32 |
| S95 | 7 | (malware virus virii) with (analy\$4) with (debug\$4 de\$1compil\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 09:34 |
| S96 | 122 | (analy\$4 scan\$4) with (self\$1modif\$4 self\$1encrypt\$3 polymorphic metamorphic) with (code program module) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/09 09:35 |
| S10 6 | 9 | transparent near5 "stack smashing attacks" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 06:45 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| S1 | 811 | (trac\$4) with (address\$3 locat\$3 instruction code) with (malicious over\$1flow\$3 smash\$3 danger\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 15:28 |
| S2 | 1033 | (trac\$4) with (address\$3 locat\$3 instruction code call\$3) with (malicious over\$1flow\$3 smash\$3 danger\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 15:28 |
| S3 | 1039 | (trac\$4) with (address\$3 locat\$3 instruction code call\$3) with (malicious\$4 over\$1flow\$3 smash\$3 danger\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 15:28 |
| S4 | 490 | 713/188.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 15:29 |
| S5 | 2129 | 714/38.ccls. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 15:30 |
| S6 | 10 | (S2 or S3) and S5 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 15:30 |
| S7 | 11 | (S2 or S3) and S4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 15:31 |

EAST Search History

| | | | | | | |
|-----|-------|---|--|----|-----|------------------|
| S9 | 465 | (scan\$4) with (instruction code) with (malware pestware virus virii hostile trojan worm) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 15:34 |
| S11 | 15 | (scan\$4) near5 (instruction) near5 (malware pestware virus virii hostile trojan worm malicious\$4 danger\$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2008/05/13 15:37 |
| S13 | 347 | (virus virii malware pestware malicious\$4) and ((prevent\$3 thwart\$3 guard\$3) with (smash\$3 over\$1flow\$3)) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/05/13 15:43 |
| S14 | 35 | (virus virii malware pestware malicious\$4) same ((prevent\$3 thwart\$3 guard\$3) with (smash\$3 over\$1flow\$3)) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/05/13 15:44 |
| S16 | 181 | (virus virii malware pestware malicious\$4) same ((prevent\$3 thwart\$3 guard\$3) with (smash\$3 over\$1flow\$3 exploit\$5)) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/05/14 07:07 |
| S17 | 271 | (virus virii malware pestware malicious\$4 worm) same ((prevent\$3 thwart\$3 guard\$3) with (smash\$3 over\$1flow\$3 exploit\$5)) | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/05/14 07:07 |
| S18 | 36738 | "713".clas. | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/05/14 07:07 |
| S19 | 38 | S16 and S18 | US-PGPUB; USPAT; USOCR | OR | OFF | 2008/05/14 07:08 |